§541.49

writing by the institution's Clinical Director or Acting Clinical Director (may not be further delegated) that the amount of X-ray exposure previously received by the inmate, or anticipated to be given the inmate in the immediate future, does not make the proposed X-ray medically unwise. Staff are to place documentation of the X-ray, and the inmate's signed request for it, in the inmate's central and medical files. The Warden's authority may not be delegated below the level of Acting Warden.

(c) Staff may not conduct a digital or simple instrument search if it is likely to result in physical injury to the inmate. In this situation, the Warden, upon approval of the Regional Director, may authorize the institution physician to order a non-repetitive X-ray for the purpose of determining if contraband is concealed in or on the inmate. The X-ray examination may not be performed if it is determined by the institution physician that such an examination is likely to result in serious or lasting medical injury or harm to the inmate. Staff are to place documentation of the X-ray examination in the inmate's central file and medical file. The authority of the Warden and Regional Director may not be delegated below the level of Acting Warden and Acting Regional Director respectively. If neither a digital or simple instrument search, nor an X-ray examination may be used, the inmate is to be placed in a dry cell until sufficient time has passed to allow excretion.

(d) Staff shall solicit the inmate's written consent prior to conducting a digital or simple instrument search, or, as specified in paragraph (c) of this section, an X-ray examination. However, the inmate's consent is not required.

[50 FR 25662, June 20, 1985, as amended at 60 FR 46484, Sept. 6, 1995]

§ 541.49 Review of control unit placement.

(a) Unit staff shall evaluate informally and daily an inmate's adjustment within the control unit. Once every 30 days, the control unit team, comprised of the control unit manager and other members designated by the Warden (ordinarily to include the officer-in-charge or lieutenant, case man-

ager, and education staff member assigned to the unit), shall meet with an inmate in the control unit. The inmate is required to attend the team meeting in order to be eligible for the previous month's stay in the control unit to be credited towards the projected duration of confinement in that unit. The unit team shall make an assessment of the inmate's progress within the unit and may make a recommendation as to readiness for release after considering the inmate's:

- (1) Unit status;
- (2) Adjustment; and
- (3) Readiness for release from the unit. (See § 541.50(a))
- (b) The Warden shall serve as the review authority at the institutional level for unit team actions.
- (c) An inmate may appeal the Warden's decision to the Executive Panel within five working days of receipt of that decision. The inmate will receive a response to this appeal at the inmate's next appearance before the Executive Panel.
- (d) At least once every 60 to 90 days, the Executive Panel shall review the status of an inmate in a control unit to determine the inmate's readiness for release from the Unit. The Executive Panel shall consider those factors specified in §541.50(a), along with any recommendations by the unit team and Warden.

The decision of the Executive Panel is communicated to the inmate. Ordinarily, the inmate is interviewed in person at this review. If the inmate refuses to appear for this review, or if there is other reason for not having an in-person review, this will be documented.

(e) An inmate may appeal a decision of the Executive Panel, through the Administrative Remedy Procedure, directly to the Office of General Counsel, Bureau of Prisons within 30 calendar days from the date of the Executive Panel's response.

[49 FR 32991, Aug. 17, 1984, as amended at 60 FR 46484, Sept. 6, 1995]

§ 541.50 Release from a control unit.

(a) Only the Executive Panel may release an inmate from a control unit. The following factors are considered in